SERVICE BULLETIN

MITSUBISHI MOTORS

GLOBAL AFTER SALES OFFICE, MITSUBISHI MOTORS CORPORATION

PURPOSE : CORRECTION	ISSUE NO. : MSB-15EXML55-501	DATE : 2015-02-19
SUBJECT : Error in writing of the item No.23(Temperature setting) in the service data		<DESTINATION/MODEL> (MMNA/USTP/EU/G.EXP/GCC/MMAL/NZ) <M/Y> 13-15.5
GROUP : Gr:55(Heater/Air conditioner)		MIRAGE/SPACE STAR/ATTRAGE

1. Description :

Please refer to the attached document for the correction of the error in writing existing in the applicable service manual.

2. Affected service manuals :

Please refer to the attached document (Attached sheet 1)

3. About the details :

Please refer to the attached document (Attached sheets 3-4)

Attached sheet 1(1/2)

For overseas market

<EU >

Applicable manual	Pub. No.	Applicable title (INFO ID)	Content
2013 MIRAGE/SPACE STAR Workshop manual	CA0E13E1-CD (ENG) CA0F13E1-CD (FRE) CA0G13E1-CD (GER) CA0S13E1-CD (SPA) CA0I13E1-CD (ITA)	Data list reference table (M554-00-511-49600-01)	Attached sheet 3
2014 MIRAGE/SPACE STAR Workshop manual	CA0E14E1-CD (ENG) CA0F14E1-CD (FRE) CA0G14E1-CD (GER) CA0S14E1-CD (SPA) CA0I14E1-CD (ITA)	Data list reference table (M554-00-511-49600-01)	Attached sheet 3
2015 MIRAGE/SPACE STAR Workshop manual	CA0E15E1-CD (ENG) CA0F15E1-CD (FRE) CA0G15E1-CD (GER) CA0S15E1-CD (SPA) CA0I15E1-CD (ITA)	Data list reference table (M554-00-511-49601-01)	Attached sheet 3
2015.5 MIRAGE/SPACE STAR Workshop manual	DRAFT	Data list reference table (M554-00-511-49602-01)	Attached sheet 3
2014 ATTRAGE Workshop manual	CA1E14E1-CD (ENG) CA1F14E1-CD (FRE) CA1G14E1-CD (GER) CA1S14E1-CD (SPA) CA1I14E1-CD (ITA)	Data list reference table (M554-00-511-55900-01)	Attached sheet 3
2015 ATTRAGE Workshop manual	CA1E15E1-CD (ENG) CA1F15E1-CD (FRE) CA1G15E1-CD (GER) CA1S15E1-CD (SPA) CA1I15E1-CD (ITA)	Data list reference table (M554-00-511-55900-01)	Attached sheet 3

<G.EXP/GCC/ASEAN>

Applicable manual	Pub. No.	Applicable title (INFO ID)	Content
2013 MIRAGE Workshop manual	<Except PHILIPPINE> PWFE1201R <PHILIPPINE> PWFE1201RP	Data list reference table (M554-00-511-40700-01)	Attached sheet 3
2014 MIRAGE Workshop manual	PWFE1301R (ENG) PWFS1302R (SPA)	Data list reference table (M554-00-511-40700-01)	Attached sheet 3
2015 MIRAGE Workshop manual	PWFE1405R (ENG) PWFS1406R (SPA)	Data list reference table (M554-00-511-58200-01)	Attached sheet 3
2014 ATTRAGE/MIRAGE G4 Workshop manual	<Except PHILIPPINE> PWFE1305R (ENG) PWFS1306R(SPA) <PHILIPPINE> PWFE1305RA	Data list reference table (M554-00-511-55900-01)	Attached sheet 3
2015 ATTRAGE/MIRAGE G4 Workshop manual	PWFE1410R (ENG) PWFS1411R (SPA)	Data list reference table (M554-00-511-55900-01)	Attached sheet 3

<MMAL/NZ>

Applicable manual	Pub. No.	Applicable title (INFO ID)	Content
2014 MIRAGE Workshop manual	<MMAL> AU900305 <NZ> DRAFT	Data list reference table (M554-00-511-49600-01)	Attached sheet 3
2015 MIRAGE Workshop manual	<MMAL> AU900425 <NZ> DRAFT	Data list reference table (M554-00-511-49601-01)	Attached sheet 3
2015 ATTRAGE Workshop manual	<MMAL> AU900435 <NZ> DRAFT	Data list reference table (M554-00-511-55900-01)	Attached sheet 3

<MMNA>

Applicable manual	Pub. No.	Applicable title (INFO ID)	Content
2014 MIRAGE Service manual	MSCD-016B-2014	Data list reference table (M554-00-511-49600-01)	Attached sheet 4
2015 MIRAGE Service manual	MSCD-016B-2015	Data list reference table (M554-00-511-49601-01)	Attached sheet 4

Attached sheet 3

<Correct>

Item No.	Check item	Inspection status	The display contents under normal condition
23	Temperature setting	–	Displays the temperature, which you has set on the temperature adjusting switch, by 29 segments within a range of 18.0°C to 32.0°C. The set temperature increments by 0.5°C as you operate the switch by one segment. **Example:** 18.0°C → 1 18.5°C → 2 and so forth 32.0°C → 29

<Incorrect>

Item No.	Check item	Inspection status	The display contents under normal condition
23	Temperature setting	–	Displays air conditioner set temperature.

Attached sheet 4

<Correct>

Item No.	Check item	Inspection status	The display contents under normal condition
23	Temperature setting	–	Displays the temperature, which you has set on the temperature adjusting switch, by 29 segments within a range of 18.0°C (64°F) to 32.0°C (89.6°F). The set temperature increments by 0.5°C (32.9°F) as you operate the switch by one segment. **Example:** 18.0°C (64°F) → 1 18.5°C (65.3°F) → 2 and so forth 32.0°C (89.6°F) → 29

<Incorrect>

Item No.	Check item	Inspection status	The display contents under normal condition
23	Temperature setting		Displays air conditioning set temperature.