SERVICE BULLETIN

MITSUBISHI MOTORS

GLOBAL AFTER SALES OFFICE, MITSUBISHI MOTORS CORPORATION

PURPOSE : OMISSION	ISSUE NO. : MSB-15E00-001	DATE : 2015-07-14
SUBJECT : Omission of mention about the precautions for installation of on-vehicle radio transmission equipment(Antenna mounting location and broadcasting equipment)		<DESTINATION/MODEL> (As per attached sheet 1) <M/Y> 13-16
GROUP : Gr:00(General)		

1. Description :

Please refer to the attached document for the information about the omission of mention in the applicable service manual.

2. Affected service manuals :

Please refer to the attached document (Attached sheet 1)

3. About the details :

Please refer to the attached document (Attached sheet 2-4)

Attached sheet 1

Applicable manual	Pub. No.	Applicable title (INFO ID)	Contents
2013 MIRAGE/SPACE STAR Workshop Manual	CA0E13E1-CD (ENG) CA0F13E1-CD (FRE) CA0G13E1-CD (GER) CA0S13E1-CD (SPA) CA0I13E1-CD (ITA)	PRE-INSPECTION CONDITION (added ander M001-01-210-90200-01)	Attached sheet2
2015 MIRAGE/SPACE STAR Workshop Manual	CA0E15E1-CD (ENG) CA0F15E1-CD (FRE) CA0G15E1-CD (GER) CA0S15E1-CD (SPA) CA0I15E1-CD (ITA)	PRE-INSPECTION CONDITION (added ander M001-01-210-90200-01)	Attached sheet2
2015.5 MIRAGE/SPACE STAR Workshop Manual	CA0E15E2-CD (ENG) CA0F15E2-CD (FRE) CA0G15E2-CD (GER) CA0S15E2-CD (SPA) CA0I15E2-CD (ITA)	PRE-INSPECTION CONDITION (added ander M001-01-210-90200-01)	Attached sheet2
2014 ATTRAGE Workshop Manual	CA1E14E1-CD (ENG) CA1F14E1-CD (FRE) CA1G14E1-CD (GER) CA1S14E1-CD (SPA) CA1I14E1-CD (ITA)	PRE-INSPECTION CONDITION (added ander M001-01-210-90200-01)	Attached sheet3
2016 L200 Workshop Manual	CKTE16E1-CD (ENG) CKTF16E1-CD (FRE) CKTG16E1-CD (GER) CKTS16E1-CD (SPA) CKTI16E1-CD (ITA)	PRE-INSPECTION CONDITION (added ander M001-01-210-38801-01)	Attached sheet4

PRECAUTIONS FOR INSTALLATION OF ON-VEHICLE RADIO TRANSMISSION EQUIPMENT


M1001015500170

The computers (control unit) for various on-vehicle electronic equipment are provided with sufficient protective measures against external radio wave interference. However, because the on-vehicle radio transmission equipment may affect adversely the computers (control unit), pay attention to the following precautions for installation.

- Install radio transmission equipment and antenna (including coaxial cables) 200 mm or more away from the computers (control unit) for on-vehicle electronic equipment.
- Because radio wave is radiated from the coaxial cables of the antenna for radio transmission equipment, do not route the cables in parallel with the vehicle wiring harness.
- Install only radio transmission equipment with the frequencies, output, and radio wave types described in the table.

FREQUENCY, OUTPUT, AND RADIO WAVE TYPE OF THE RADIO TRANSMISSION EQUIPMENT

Frequency (MHz)	Maximum output power (W)	Modulation
3.5	50	CW, FM, AM, SSB
7		
14		
21		
28		
50		
144		
430		
1,260	2	



- Install the antenna for radio transmission equipment only to the position shown in the figure.

PRECAUTIONS FOR INSTALLATION OF ON-VEHICLE RADIO TRANSMISSION EQUIPMENT


M1001015500181

The computers (control unit) for various on-vehicle electronic equipment are provided with sufficient protective measures against external radio wave interference. However, because the on-vehicle radio transmission equipment may affect adversely the computers (control unit), pay attention to the following precautions for installation.

- Install radio transmission equipment and antenna (including coaxial cables) 200 mm or more away from the computers (control unit) for on-vehicle electronic equipment.
- Because radio wave is radiated from the coaxial cables of the antenna for radio transmission equipment, do not route the cables in parallel with the vehicle wiring harness.
- Install only radio transmission equipment with the frequencies, output, and radio wave types described in the table.

FREQUENCY, OUTPUT, AND RADIO WAVE TYPE OF THE RADIO TRANSMISSION EQUIPMENT

Frequency (MHz)	Maximum output power (W)	Modulation
3.5	50	CW, FM, AM, SSB
7		
14		
21		
28		
50		
144		
430		
1,260	2	



- Install the antenna for radio transmission equipment only to the position shown in the figure.

PRECAUTIONS FOR INSTALLATION OF ON-VEHICLE RADIO TRANSMISSION EQUIPMENT


M1001015500192


The computers (control unit) for various on-vehicle electronic equipment are provided with sufficient protective measures against external radio wave interference. However, because the on-vehicle radio transmission equipment may affect adversely the computers (control unit), pay attention to the following precautions for installation.

- Install radio transmission equipment and antenna (including coaxial cables) 200 mm or more away from the computers (control unit) for on-vehicle electronic equipment.
- Because radio wave is radiated from the coaxial cables of the antenna for radio transmission equipment, do not route the cables in parallel with the vehicle wiring harness.
- Install only radio transmission equipment with the frequencies, output, and radio wave types described in the table.

FREQUENCY, OUTPUT, AND RADIO WAVE TYPE OF THE RADIO TRANSMISSION EQUIPMENT

Frequency (MHz)	Maximum output power (W)	Modulation
3.5	50	CW, FM, AM, SSB
7		
14		
21		
28		
50		
144		
430		
1,260	2	





- Install the antenna for radio transmission equipment only to the position shown in the figure.